



Adding New Points



User points of interest can be added to map several ways - by **creating new points** from scratch, by **creating new points with some predefined parameters** or by **importing** them from outside of Locus.

Basic ways

New points are automatically created on your **actual GPS position**. There is an option to create new points on **position of the map cursor** but you need to set it up in **points settings >>**.

Creating a new point

- tap **Main menu > Points >**  **>**  **New point** - adds a new point on map, all its other parameters are put in manually


... with a photograph

- tap **Main menu > Points >**  **>**  **Photo-point** - launches the phone camera, after taking a photo the point is created and the photo is attached


... in a particular folder

- tap **Main menu > Points > any folder >**  - creates a new point and stores it in the selected folder, all its other parameters are put in manually

... from an address

- **Map screen > long tap on a selected place > tap the popup label (if there is any, see [map screen settings](#)) > ** - adds a new point at the selected place. The address and coordinates automatically fill in the point detail dialog


... from a LoMap POI

- **Map screen with LoMaps > tap a [dynamic point of interest](#) > tap its label to open the detail > ** - copies all attributes of the map POI (name, short description, altitude, coordinates etc.) into a new point detail dialog

New points via Locus functions



... from search result

- **Main menu/main screen topbar > [Search](#) > tap a search result item on map > tap its label to open the detail > ** - fills all attributes of the search result in the point detail dialog.



... during track recording

- **Main menu > [Track recording](#) > Start > Add point** - adds waypoints on the recorded track:
 - *Add new point* - adds a standard point on the track
 - *Add point (photo)* - takes a photo and makes a point with a photo attachment
 - *Add point (audio)* - records an audio and makes a point with an audio attachment
 - *Add point (video)* - shoots a video and makes a point with a video attachment




Points created this way are “waypoints” existing only within the recorded track. Some point-related operations can not be performed with them, e.g. displaying them individually or copying them.



[More about track recording >>](#)



How to fill the new point form


Basic info

- **Icon & Name** - the point icon can be changed into many from Locus and Garmin style. If you leave it as it is, no specific icon will be associated with the point and it may be changed when the point folder icon changes. The name is pre-filled by the time stamp of creating the point and can be rewritten. Empty name socket is invalid.
- **Folder** - last used folder is pre-filled. It can be changed or a new folder can be created.
- **Location** - the position of the map screen center cross is pre-filled. It can be changed by directly rewriting the coordinates or using  [Location selector >>](#)

 Contents of the Location selector can be changed by tapping  in its upper right corner. It is also possible to locate recently used positions on a dedicated tab.

- **Description** - optional socket for entering description of the point
- **Altitude** - height of the point above the sea level. If it is empty Locus Map can obtain it - tap **Get**.
- **Address** - the address of the point can be filled either manually or from online databases - tap **Get address**
- **Links** - if you want to add e-mail, phone or URL, tap **Add another field**

Attachment

Contains files attached to the point - photos, videos, voice recordings, texts etc. To add any tap  and choose from the selection. See more in [Point Detail Dialog >>](#)

From:
<http://docs.locusmap.eu/> - **Locus Map Classic - knowledge base**

Permanent link:
http://docs.locusmap.eu/doku.php?id=manual:user_guide:points:add&rev=1535981035

Last update: **2018/09/03 15:23**

